

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

LISTING OF CLAIMS:

1. (currently amended): A remote power feed device for supplying a remote power feed to a terminal in a telecommunication network, said device ~~including~~ including:

a measuring device for determining at least if the remote power feed current is greater than a first threshold current,

said remote power feed current being able to assume a value very much greater than said first threshold current, ~~and~~

said measuring device including a resistive circuit through which said remote power feed current flows and which has a resistance that varies as a function of the current flowing through it, and

said resistance being lower if said current is very much greater than said first threshold ~~current~~, current; and

means for comparing the voltage across said resistive circuit with a first threshold voltage.

2. (currently amended): The device claimed in claim ~~1-1~~, including a current-measuring device for determining if said remote power feed current is greater than a first threshold current and for determining if said remote power feed current is greater than a second threshold current which is higher than said first threshold current, said current-measuring device including means

for comparing the voltage across said resistive circuit with a second threshold ~~voltage~~ voltage, and said resistive circuit having a resistance that varies as a function of the current flowing through it, said resistance being lower if said current is close to said second threshold current than if it is in the vicinity of said first threshold current.

3. (currently amended): The device claimed in claim ~~2-2~~, wherein said resistive circuit ~~includes~~ includes:

a first ~~resistor~~, resistor;

a second resistor in parallel with said first resistor and having a lower resistance than said first ~~resistor~~, resistor; and

a switching device for

either connecting said first resistor in series in said remote power feed circuit if said switching device detects that said remote power feed current is less than a third threshold current that is between said first and second threshold ~~currents~~ currents, or

connecting said second resistor and said first ~~resistor~~ resistor, connected in ~~parallel~~ parallel, in series in said remote power feed circuit if said switching device detects that said remote power feed current is greater than said third threshold current.

4. (previously presented): A repeater including a remote power feed device as claimed in claim 1.

5. (previously presented): A concentrator including a remote power feed device as claimed in claim 1.

AMENDMENT UNDER 37 C.F.R. § 1.111
U.S. APPLN. NO. 10/028,915

6. (new): The device claimed in claim 3, wherein said switching device comprises a transistor which is connected in series with said second resistor, and which is conducting only when said remote power feed current is greater than said third threshold current.